




| ITEM # | QTY | PART # | PART TITLE |
|--------|-----|------------------------------|--|
| -1 | 1 | RBW6210G00231-8G-1 | PACKAGING ASSY |
| -4 | 1 | RBW6210G00231-8G-4 | CONTENT PLACARD |
| 5 | 1 | RBW6210G00651-8G | BOLT GUIDE |
| 6 | 1 | RBW6205G08451-8G | M/R BLADE RETENTION BOLT REMOVAL PULLER |
| 7 | 1 | RB41011 | DART PLACARD |
| 8 | 4 | McMaster#97524A032 OR EQUIV. | ALUMINUM SEALING BLIND RIVETS 1/8" DIA. x 0.425" LG. |




RBW6210G00231-8G M/R BLADE RETEN. BOLT REM / INST TOOL KIT

NOTES:

- 1) MATERIAL: N/A
- 2) HEAT TREAT: N/A
- 3) FINISH: N/A
- 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: N/A
- 7) IDENTIFICATION: ENGRAVE THE TOOL P/N & S/N ON THE DART PLACARD WHERE INDICATED
- 8) INSTALL THE DART PLACARD ONTO THE TOP OF THE CASE IN AVAILABLE AREA USING ALUMINIUM POP RIVETS
- 9) HOT GLUE THE PLASTIC PLACARD ONTO THE TOP FOAM
- 10) HOT GLUE THE TOP AND BOTTOM FOAM INTO THE CASE

| | | | |
|--|-------------|--|--------------|
| A | NEW ISSUE | 18-588 | KT |
| REV. | DESCRIPTION | ECN # | BY |
| DESIGN | KT | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | KT | | |
| CHECKED | VM | TOOL PART # | REV. A |
| MFG. APPR. | DP | RBW6210G00231-8G | SHEET 1 OF 5 |
| APPROVED | VT | TITLE | SCALE |
| DATE 8/31/2018 | | M/R BLADE RETEN. BOLT REM / INST TOOL KIT | NTS |
| COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |


| ITEM # | QTY | PART # | PART TITLE |
|--------|-----|---------------------|-------------------|
| -2 | 1 | RBW6210G00231-8G-2 | BOTTOM FOAM |
| -3 | 1 | RBW6210G00231-8G-3 | TOP FOAM |
| 9 | 1 | PELICAN #APP-1060-E | PELICAN CASE 1060 |



RBW6210G00231-8G-1 PACKAGING ASSY

NOTES:
1) MATERIAL: N/A
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
 X.XX = +/- 0.01" / +/- 0.5°
 X.XXX = +/- 0.005" / +/- 0.1°
 X.XXXX = +/- 0.0005" / +/- 0.05°
 PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) BREAK SHARP EDGES: N/A
7) IDENTIFICATION: N/A


| | | | |
|-----------------------|----|--|--------------|
| DESIGN | KT | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | KT | | |
| CHECKED | VM | TOOL PART # | REV. A |
| MFG. APPR. | DP | RBW6210G00231-8G | SHEET 2 OF 5 |
| APPROVED | WJ | TITLE | SCALE |
| DATE 8/31/2018 | | M/R BLADE RETEN. BOLT REM / INST TOOL KIT | NTS |
| | | COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |



RBW6210G00231-8G-2 BOTTOM FOAM

- NOTES:
- 1) MATERIAL: BLACK ETHAFOAM 220
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: N/A
 - 8) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.050" PER CAD FILE RBW6210G00231-8G-2 REV A.STEP

| | | | |
|----------------|----|--|--------------|
| DESIGN | KT | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | KT | | |
| CHECKED | VM | TOOL PART # | REV. A |
| MFG. APPR. | DP | RBW6210G00231-8G | SHEET 3 OF 5 |
| APPROVED | WY | TITLE | SCALE |
| DATE 8/31/2018 | | M/R BLADE RETEN.BOLT REM / INST TOOL KIT | NTS |
| | | COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |



RBW6210G00231-8G-3 TOP FOAM

- NOTES:
- 1) MATERIAL: BLACK ETHAFOAM 220
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: N/A
 - 7) IDENTIFICATION: N/A
 - 8) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.050" PER CAD FILE RBW6210G00231-8G-3 REV A.STEP

| | | | |
|--|----|--|--------------|
| DESIGN | KT | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | KT | | |
| CHECKED | VM | TOOL PART # | REV. A |
| MFG. APPR. | DP | RBW6210G00231-8G | SHEET 4 OF 5 |
| APPROVED | W | TITLE | SCALE |
| DATE 8/31/2018 | | M/R BLADE RETEN.BOLT REM / INST TOOL KIT | NTS |
| COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |

